QUICK REFERENCE GUIDE > OR36SDG6X1

Dual Fuel Range, 36", 5 Burners, Self-cleaning

Series 9 | Contemporary

Stainless Steel



Get the best of both worlds with dual fuel. A gas cooktop with powerful burners is paired with a large convection oven with nine functions.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Convection oven with 4.9 cu.ft total capacity, nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for making bread
- Non-tip full-extension shelves for safe removal of hot dishes

 High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 1/4"
Width	35 7/8"
Depth	25 1/4"

FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials with glowing halo all add up to an exceptional, premium range.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

2-pc grill system (Broil pan and	
Broil pan	
Broil rack	
Full extension telescopic	2 sets (part 578744
Small pot support	1 (part 533981 cast
Accessories (sold separately)	
Kick strip, stainless steel	KICKOR36X

burner ratings	
Dual wok burner inner/outer	1000 - 18000BTU
Dual wok burner inner/outer	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural	1500 - 8000BTU
Total cooktop power	62000 BTU
Triple ring wok burner (LPG)	6100 - 12000BTU
Triple ring wok burner (natural	6100 - 14000BTU

Capacity Shelf positions 7 Total capacity 4.9cu ft Usable capacity 4.3cu ft

QUICK REFERENCE GUIDE > OR36SDG6X1

				CoolTouch door	Quadruple glazed
Cleaning		Oven features		Warming drawer power	220W
Acid resistant graphite enamel	•	AeroTech™ technology	•		
Dishwasher proof grates	•	Auto re-ignition system	•	Power requirements	
Drop down broil element	•	Automatic rapid pre-heat	•	Amperage	30A
Flat easy clean glass surface	•	Concealed element	•	Supply frequency	60Hz
Pyrolytic proof shelf runners	•	Electronic oven control	•	Supply voltage	120 - 240V
Pyrolytic self-clean	•	Full extension telescopic	•		
Removable oven door	•	Internal light	4 x 25W halogen (2 side & 2	Product dimensions	
Removable shelf runners	•	Soft open/close door	•	Depth	25 1/4"
		True convection	•	Height	35 3/4 - 37 1/4"
Controls		Turned stainless steel clock	•	Width	35 7/8"
Audio feedback	•	Twin cavity fans	•		
Automatic cooking/minute	•	Warming drawer	•	Rangetop features	
Automatic pre-set	•			Brass burner spreader (power	
Celsius/Fahrenheit	•	Oven functions		Embossed brass burner cap	
Electronic capacitive touch	•	Aero Bake	•	Hob rail	
Electronic clock	•	Aero Broil	•	LPG/Natural gas compatible	
High resolution display	•	Aero™ Pastry with Pizza mode	•	Sealed range top	•
Laser etched graphics	•	Bake	•		
Metal illuminated dials	•	Broil	•	Rangetop Performance	
Precise electronic temperature	•	Maxi Broil	•	Number of burners	5
Sabbath mode	•	Number of functions	9	Number of Burners	J
Turned stainless steel clock	•	Rapid proof	•	Safety	
Turned stainless steel clock	•	Roast	•	•	_
Turned stainless steel dials	•	Self-clean	•	ADA compliant	•
		True Aero	•	Advanced cooling system	•
Gas Requirements				Anti-tilt bracket	•
Supply Pressure (LPG)	11" W.C.P	Oven performance		Balanced oven door	•
Supply Pressure (natural gas)	4" W.C.P	Broil power	4300W	Catalytic venting system CoolTouch door	•
				Coorroach door	•

QUICK REFERENCE GUIDE > OR36SDG6X1

Full extension telescopic	2 sets (part 578744)
Non-tip shelves	•
Spill containment	5/8 gallon
Warranty	
Parts and labor	2 years
SKU	82762

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com



User Guide Freestanding Range EN



Service & Warranty



User Guide Freestanding Range EN



Guide d'installation FR



Installation Guide EN



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com