

Series 9, Integrated Single DishDrawer Dishwasher

Integrated




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Customise with your own front panel and handle to match your kitchen cabinetry

DIMENSIONS

Height	410 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

- Ease Of Use**
DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.
- Quick, Sanitise and Extra Dry options**
The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria* in the final rinse. The Extra Dry setting is perfect for plastic dishes. *Certified to NSF/ANSI Standard 184
- Knock To Pause**

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A double knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer
Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)	
Cutlery basket	•
Knife clip and multipurpose clip	•

Accessories (sold separately)	
Door panel black stainless steel	ADDD60SPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB
Door panel recessed handle stainless steel	ADDD60STNX
Door panel stainless steel	ADDD60SPX
Handle kit Contemporary brushed black	AHD7DDDW60B
Handle kit Contemporary brushed silver	AHD7DDDW60S
Handle kit Contemporary round, aluminium	AHS-OBDD-60S
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S
Handle kit Contemporary square, black	AHD3-OBDD-60B
Handle kit Minimal black	AHM1DDDW60B
Handle kit Minimal grey	AHM1DDDW60G
Handle kit Professional round	AHP3-DWDD-60S
Handle kit Professional round flush	AHP3-DWDD-60S

Capacity and loading		Features		Heavy	
Accommodates round plates up to	280mm	Fan assisted drying	.	Medium	.
Adjustable height, foldable cupracks	.	Flow through detergent dispenser	.	Rinse	.
Fold down tines	.	Quiet operation	.		
Pitch adjustable tines	.	SmartDrive™ technology	.		
Place settings	7			Water connection	
Place settings	7			Water pressure	30kPa - 1000 kPa
		Performance		Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Connected Features		Noise emissions	43 dBA		
Alerts and notifications	.	Power requirements		SKU	
Education and onboarding	.	Dedicated Circuit (A)	5A		
Monitoring	.	Supply frequency	50 Hz		
Software updates	.	Voltage	220 - 240V		
				The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Consumption		Product dimensions		Other product downloads available at fisherpaykel.com	
Energy rating	3.5 star	Depth	553 mm	↓ DXF	
Energy usage	136kWh/year	Height	410 mm	↓ Care & Maintenance Guide (English)	
In-use energy carbon emissions estimate	12.9kgCO2e/year	Width	599 mm	↓ DWG	
Water consumption (per wash cycle)	6.9L			↓ Energy Label	
Water rating	4.5 star (WELS)			↓ First Use Guide (English)	
		Wash Program Modifiers		↓ Installation Guide (English)	
Controls		Extra Dry	.	↓ Handle Installation Guide (English)	
End of cycle beeps	.	Quick	.	↓ Planning Guide (English)	
Energy saving delay start option of up to 12 hours	.	Sanitise	.	↓ Revit	
Internal wash selector	.			↓ Rhino	
Keylock	.	Wash Programs		↓ Rhino - Door and Contemporary Square Handle	
Knock to pause	.	Delicate	.	↓ Safety & Warnings (English)	
Rinse aid indicator light	.	Eco	.	↓ SketchUp	
Smart appliance	.	Fast	.	↓ SketchUp - Door and Contemporary Square Handle	

[Wash Program Data \(English\)](#)[Installation Video](#)**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

T 0800 372 273 W www.fisherpaykel.com