QUICK REFERENCE GUIDE > RS2484FLJK1

Integrated Column Freezer, 24", Ice

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.


- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- · Internal ice maker with boost for busy times
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

 Height
 84"

 Width
 23 3/4"

 Depth
 24"



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only ½" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories

Joiner Kit AJ-RS84LR

Accessories (sold separately)

Door panel stainless steel RD2484L4D

Handle kit Contemporary AHS-RD84

QUICK REFERENCE GUIDE > RS2484FLJK1 Date: 02.05.2024 > 2

Handle kit Contemporary	AHD5RDSF		
Handle kit Contemporary	AHD5RDSFB	Freezer Features	
Handle kit Contemporary	AHD3-RD84	Automatic ice maker	•
Handle kit Professional round	AHC-RD84	Bottle chill	•
Handle kit Professional round	AHP3RDSF	Door alarm	•
Handle kit Professional square	AHV2-RD84	Fast freeze	•
Toe kick stainless steel 24"	AKRS2404	Freezer bins	4
Toe kick stainless steel 42"	AKRS4204	Ice Boost	•
Toe kick stainless steel 48"	AKRS4804	LED bin lighting	•
Toe kick stainless steel 54"	AKRS5404	LED ceiling lighting	•
Toe kick stainless steel 60"	AKRS6004	LED side lighting	•
Toe kick stainless steel 66"	AKRS6604	SmartTouch interface at	•
Toe kick stainless steel 72"	AKRS7204		
Toe kick stainless steel 78"	AKRS7804	Performance	
Toe kick stainless steel 84"	AKRS8404	ActiveSmart™ Foodcare	•
		Adaptive defrost	•
Capacity		Dual evaporator	•
Total gross capacity	11.9cu ft	Frost free	•
Volume	11.9cu ft	Inverter controlled compressor	•
Volume freezer	11.9cu ft	Sabbath mode	•
		Variable temperature zones	2
Consumption			
Energy rating	Energy star	Power requirements	
Energy usage	439kWh/year	Rated current	10A
In-use energy carbon	160.9kgCO2e/year	Supply frequency	60Hz
		Supply voltage	115V
Features			
Adjustable door shelves	4	Product dimensions	
Adjustable glass cantilevered	•	Depth	24"
Door alarm	•	Height	84"

Width	23 3/4"
Safety and compliance	
ADA compliant	•
Warranty	
Parts and labor	2 years
Sealed system parts only	5 years
SKU	26124

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020


Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RS2484FLJK1 Date: 02.05.2024 > 3

Other product downloads available at fisherpaykel.com



Planning Guide Professional Style Dial/Handle Accessories

