


# 76cm Series 11 Integrated Refrigerator Freezer, Ice & Water

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

## DIMENSIONS

|        |         |
|--------|---------|
| Height | 2134 mm |
| Width  | 756 mm  |
| Depth  | 610 mm  |



## FEATURES & BENEFITS

### Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

### Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

### Soft Freeze Mode

Soft freeze is for food that requires a gentle freeze and quick thawing, perfect for items that will be consumed soon. It allows easy portioning and the ability to heat, cook or serve straight from the compartment, without waiting for it to thaw.

### Activesmart Foodcare

ActiveSmart Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

### Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to capture any drips and spills.

### Complementary Design

Both the 61cm and 76cm Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

### Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

### Clever Energy

Integrated



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker

Your refrigerator adapts to daily use by cooling and defrosting only when necessary. This means your refrigerator uses the energy it needs without compromising on food care.

|               |                    |
|---------------|--------------------|
| Energy rating | <b>Grade 2</b>     |
| Energy usage  | <b>1.06kWh/24h</b> |

## SPECIFICATIONS

### Accessories (sold separately)

|  |                      |
|--|----------------------|
| Door panel stainless steel Left hinge 762mm    | <b>RD7621WLD</b>     |
| Door panel stainless steel Right hinge 762mm   | <b>RD7621WRD</b>     |
| Handle kit Classic                             | <b>AHCLRD7621W</b>   |
| Handle kit Contemporary round, aluminium       | <b>AHSRD7621W</b>    |
| Handle kit Contemporary square fine, aluminium | <b>AHD5RD7621W</b>   |
| Handle kit Contemporary square fine, black     | <b>AHD5RD7621WB</b>  |
| Handle kit Professional round flush            | <b>AHP3RD7621W</b>   |
| Joiner kit                                     | <b>AJ-RS21LR</b>     |
| Toe kick stainless steel 1372mm                | <b>AKRS13710</b>     |
| Toe kick stainless steel 1524mm                | <b>AKRS15210</b>     |
| Toe kick stainless steel 1981mm                | <b>AKRS19810</b>     |
| Toe kick stainless steel 2134mm                | <b>AKRS21310</b>     |
| Toe kick stainless steel 762mm                 | <b>AKRS7610</b>      |
| Water filter replacement                       | <b>847200 - FWC3</b> |

### Capacity

|                      |              |
|----------------------|--------------|
| Total gross capacity | <b>482 L</b> |
| Volume               | <b>449 L</b> |
| Volume freezer       | <b>151 L</b> |
| Volume refrigerator  | <b>298 L</b> |

### Consumption

### Features

|  |          |
|--|----------|
| Adjustable door shelves                | <b>4</b> |
| Covered door shelves                   | <b>1</b> |
| Door alarm                             | <b>•</b> |
| Gallon door shelves                    | <b>1</b> |
| LED bin lighting                       | <b>•</b> |
| LED ceiling lighting                   | <b>•</b> |
| LED side lighting                      | <b>•</b> |
| SmartTouch interface at counter height | <b>•</b> |
| Stackable bottle holders               | <b>4</b> |
| Ultra slim water dispenser             | <b>•</b> |

### Freezer Features

|  |          |
|--|----------|
| Automatic ice maker                    | <b>•</b> |
| Door alarm                             | <b>•</b> |
| Freezer bins                           | <b>2</b> |
| Freezer trays                          | <b>1</b> |
| Ice Boost                              | <b>•</b> |
| LED bin lighting                       | <b>•</b> |
| LED ceiling lighting                   | <b>•</b> |
| LED side lighting                      | <b>•</b> |
| Max Cold                               | <b>•</b> |
| SmartTouch interface at counter height | <b>•</b> |

### Performance

|                                |   |
|--------------------------------|---|
| ActiveSmart™ Foodcare          | <b>•</b>                                    |
| Adaptive defrost               | <b>•</b>                                    |
| Dual evaporator                | <b>•</b>                                    |
| Frost free freezer             | <b>•</b>                                    |
| Humidity control system        | <b>•</b>                                    |
| Inverter controlled compressor | <b>•</b>                                    |
| Sabbath mode                   | <b>•</b>                                    |
| Variable food modes            | <b>Pantry; Fridge; Soft freeze; Freezer</b> |
| Variable temperature zones     | <b>2</b>                                    |

### Power requirements

|                  |              |
|------------------|--------------|
| Rated current    | <b>10 A</b>  |
| Supply frequency | <b>50 Hz</b> |
| Supply voltage   | <b>230 V</b> |

### Product dimensions

|        |                |
|--------|----------------|
| Depth  | <b>610 mm</b>  |
| Height | <b>2134 mm</b> |
| Width  | <b>756 mm</b>  |

|     |              |
|-----|--------------|
| SKU | <b>25698</b> |
|-----|--------------|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

**Other product downloads available at fisherpaykel.com**

- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DWG](#)
- [↓ Energy Label](#)
- [↓ Water Filter Replacement Instructions - Parts 847200 and 847201 \(English\)](#)
- [↓ Installation Guide - Toe Kick \(English\)](#)
- [↓ Water Filter Replacement Instructions - Parts 847200 and 847201 \(Chinese\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Planning Guide \(Chinese\)](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ Rhino - Door and Contemporary Round Handle](#)
- [↓ Rhino - Door and Contemporary Square Fine Black Handle](#)
- [↓ Rhino - Door and Contemporary Square Fine Handle](#)
- [↓ Rhino - Door and Contemporary Square Handle](#)
- [↓ Restriction of the Use of Hazardous Substances \(Chinese\)](#)
- [↓ SketchUp](#)
- [↓ SketchUp - Door and Contemporary Round Handle](#)
- [↓ SketchUp - Door and Contemporary Square Fine Black Handle](#)
- [↓ SketchUp - Door and Contemporary Square Fine Handle](#)
- [↓ SketchUp - Door and Contemporary Square Handle](#)
- [↓ User Guide \(Chinese\)](#)

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.