# Integrated Refrigerator Freezer, 60cm, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

#### DIMENSIONS

Height	1870mm
Width	592mm
Depth	576mm

#### **FEATURES & BENEFITS**

#### Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

#### INTERNAL WATER DISPENSER AND ICE MAKER

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

#### Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

#### **Clever Energy**

ActiveSmart<sup>™</sup> Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

#### FLEXIBLE STORAGE

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered

## FISHER & PAYKEL

shelving and full extension bins in the freezer.

#### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

#### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

#### SPECIFICATIONS

#### Accessories

Hinge change (from right hinge

#### Accessories (sold separately)

Door panel set stainless steel	RD6019BR (right hinge),
Handle kit Contemporary	AHSRDB19
Handle kit Contemporary	AHD5RDB19
Handle kit Contemporary	AHD5RDB19B
Handle kit Professional round	AHP3RDB19
Joiner kit	AJRS19LR
Toe kick stainless steel	AKRS12010
Toe kick stainless steel	AKRS18010
Toe kick stainless steel 600mm	AKRS06010
Water filter replacement	847200 - FWC3

#### Capacity

Volume

#### QUICK REFERENCE GUIDE > RS6019BRU1

Volume freezer	123L	
Volume refrigerator	180L	
Consumption		
Energy rating	5 sta	
Energy usage	244kWh/yea	
In-use energy carbon	33.0kgCO2e/yea	
Features		
Adjustable door shelves	4	
Adjustable glass cantilevered		
Covered door shelves		
Door alarm		
Internal water dispenser		
LED bin lighting		
LED ceiling lighting		
LED side lighting		
SmartTouch control panel		
Stackable bottle holders	2	
Water tank capacity	1L	
Wi-Fi connectivity		
Freezer Features		
Automatic ice maker		
Bottle chill		
Door alarm		
Fast freeze		
Freezer bins	3	
Ice Boost		
Ice making rate per day	1kg	

LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
Installation Dimensions	
Minimum inside width of	600mm
Minimum internal depth of	600mm

#### Performance

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•

#### Power requirements

Minimum internal height of

Rated current	10A
Supply frequency	50Hz
Supply voltage	230V

# Product dimensions Depth 576mm Height 1870mm Width 592mm Warranty

Parts and labour

# Sealed system parts only 5 years SKU 26210

1880mm

2 years

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

### FISHER & PAYKEL

A PEACE OF MIND SALE



24 Hours 7 Days a Week Customer Support

**T** 0800 372 273 **W**www.fisherpaykel.com