

Series 9, Integrated Dishwasher

Integrated




Designed to integrate seamlessly into your cabinetry, this dishwasher delivers superior wash performance and advanced drying.

- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash programs from Heavy to Light, including Auto and 60min
- Dry+, Sanitise, Half Load and Intensive modifiers provide extra wash options
- Wi-Fi enabled and works with the Haier Smart Home app for remote control and notifications

DIMENSIONS

Height	820 - 880 mm
Width	597 mm
Depth	554 mm



FEATURES & BENEFITS

Seamless Integration

Customise your dishwasher with a panel and handle matching your cabinetry, for a seamless finish in your kitchen.

Advanced Drying

For consistently dry dishes, this dishwasher boasts an advanced drying system that combines fan-assisted drying with an automatic door opening at the cycle's end. By opening to release excess steam, the Auto Door Open Dry feature ensures your dishes emerge dry and ready for immediate use or storage.

A Reliable Clean

This dishwasher offers eight wash programs including Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system delivers a superior clean, while the rinse aid indicator reminds you to refill for beautifully clean dishes.

Customise Your Wash

The Half Load modifier is ideal for washing smaller loads, ensuring a quicker turnaround for your dishes. The Sanitise function provides extra protection, killing 99.999% of bacteria* in the final rinse, while the Dry+ modifier is perfect for drying plastic.

*Certified by CVC for eliminating *Helicobacter pylori*, H1N1 influenza virus, Poliovirus, *Escherichia coli*, and *Staphylococcus aureus*. Sterilisation data source: CVC report RCVC2024-0243.

Quiet Performer

Running at a very low decibel rating, this dishwasher does its job without making a fuss. The combination of clever technology and simple mechanics means greater reliability and superior wash performance, with minimal noise.

Efficient Performance

With a top efficiency rating of grade 1, this dishwasher delivers a powerful wash. Use the Eco wash program for optimal water and energy consumption, or choose when the cycle begins with Delay Start.

Flexible Loading

Designed to accommodate 16 place settings with ease, the adjustable rack options offer flexibility for various loads. This dishwasher comes complete with a cutlery tray ideal for smaller utensils, a height-adjustable middle rack, cup holders, and wine glass supports, ensuring it caters to your lifestyle.

SPECIFICATIONS

Accessories (included)

- Cutlery basket

Accessories (sold separately)		Controls		Product dimensions	
Door panel black stainless steel	ADDW60PB	Energy saving delay start option of up to 24 hours	•	Depth	554 mm
Door panel stainless steel	ADDW60PX	Floor light cycle feedback	•	Height	820 - 880 mm
Handle kit Contemporary square fine, aluminium	AHD5DDDW60S	Internal light	•	Width	597 mm
Handle kit Contemporary square fine, black	AHD5DDDW60B	Internal wash selector	•		
		Keylock	•	Wash Program Modifiers	
		Rinse aid indicator light	•	Dry +	•
				Half load	•
Capacity and loading		Features		Intensive	•
Accommodates round plates up to (lower basket)	325mm	Air curtain for bench protection	•	Sanitise	•
Accommodates round plates up to (top basket)	220mm (with cutlery tray)	Aquastop	•	Wash modifiers	4
Adjustable height, foldable cupracks	•	Auto Door Open Dry	•		
Easy lift adjustable upper basket	•	Built-in water softener	•	Wash Programs	
Fold down tines	•	Fan assisted drying	•	60 min	•
Fold down wine racks	•	Flood protection	•	Auto	•
Full width cutlery/utensil tray	•	Fully independent spray arms	•	Eco	•
Place settings	16	Half load option	•	Glassware	•
Wine glass supports with stemware grippers	•	Motor type	BLDC	Heavy	•
		Three-stage filtration system	•	Light	•
		Variable wash pressure technology	•	Medium	•
Connected Features		Performance		Rinse	•
Alerts and notifications	•	Noise emissions	42 dBA	Wash programs	8
Education and onboarding	•				
Monitoring	•			Water connection	
Remote operation	•			Water pressure	30kPa - 1000 kPa
Software updates	•			Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
		Power requirements			
Consumption		Dedicated Circuit (A)	10A		
Cleaning Index	1.18	Supply frequency	50 Hz		
Drying Index	1.2	Voltage	220 - 240V		
				SKU	84735

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) DWG
- [↓](#) DXF
- [↓](#) DXF
- [↓](#) DWG
- [↓](#) Energy & Water Label
- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide (Chinese)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Restriction of the Use of Hazardous Substances (Chinese)
- [↓](#) SketchUp
- [↓](#) User Guide (English)
- [↓](#) User Guide (Chinese)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.