QUICK REFERENCE GUIDE > RS6019BRU1

Integrated Refrigerator Freezer, 60cm, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870mm
Width 592mm
Depth 576mm

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

INTERNAL WATER DISPENSER AND ICE MAKER

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

MIX & MATCH

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

FLEXIBLE STORAGE

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered

shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories

Hinge change (from right hinge

Accessories (sold separately)

Door panel set stainless steel	RD6019BR (right hinge)
Handle kit Contemporary	AHSRDB19
Handle kit Contemporary	AHD5RDB19
Handle kit Contemporary	AHD5RDB19E
Handle kit Professional round	AHP3RDB19
Joiner kit	AJRS19LF
Toe kick stainless steel	AKR\$12010
Toe kick stainless steel	AKR\$18010
Toe kick stainless steel 600mm	AKRS06010
Water filter replacement	847200 - FWC3

Capacity

Volume 303L

QUICK REFERENCE GUIDE > RS6019BRU1 Date: 24.04.2024 > 2

Volume refrigerator LED ceiling lighting	Volume freezer	123L	LED bin lighting	•
Energy rating 5 star Installation Dimensions Energy usage 244kWh/year Minimum inside width of 600mm in-use energy carbon 158.9kgCO2e/year Minimum internal depth of 600mm Minimum internal height of 1880mm Minimum internal depth of 600mm Min	Volume refrigerator	180L	LED ceiling lighting	•
Energy rating 5 star Energy usage 244kWh/year Minimum inside width of 600mm In-use energy carbon 158.9kgCO2e/year Minimum internal depth of 600mm In-use energy carbon 158.9kgCO2e/year Minimum internal depth of 600mm Minimum internal height of 1880mm Features Adjustable door shelves 4 Performance Adjustable glass cantilevered • ActiveSmart**Foodcare • Covered door shelves 1 Adaptive defrost • Dual evaporator • Internal water dispenser • Frost free • CILED bin lighting • Humidity control system • LED bin lighting • Inverter controlled compressor • LED side lighting • Sabbath mode • • Supply requency 50Hz Water tank capacity 1L Rated current 10A Wi-Fi connectivity • Supply frequency 50Hz Supply voltage 230V Freezer Features Automatic ice maker • Product dimensions Bottle chill • Depth 576mm Door alarm • Height 1870mm Freeze bins 3 Ince Boost • Warranty			LED side lighting	•
Energy usage 244kWh/year Minimum inside width of 600mm in-use energy carbon 158.9kgCO2e/year Minimum internal depth of 600mm Minimum internal height of 1880mm Minimum internal height of 600mm Minimum internal height of	Consumption			
In-use energy carbon 158.9kgCO2e/year Minimum internal depth of Minimum internal height of Missome **Covered ActiveSmart** Foodcare **ActiveSmart** Foodcare **ActiveSmart** Foodcare **ActiveSmart** Foodcare **ActiveSmart** Foodcare ***Prost free **Prost free **Product dimensions **Product	Energy rating	5 star	Installation Dimensions	
Features Minimum internal height of 1880mm Features Adjustable door shelves 4 Performance Adjustable glass cantilevered • ActiveSmart™ Foodcare • Covered door shelves 1 Adaptive defrost • Door alarm • Dual evaporator • Internal water dispenser • Frost free • LED bin lighting • Humidity control system • LED celling lighting • Sabbath mode • LED side lighting • Sabbath mode • SmartTouch control panel • Sabbath mode • Stackable bottle holders 2 Power requirements Water tank capacity 1L Rated current 10A Wi-Fi connectivity • Supply frequency 50Hz Supply voltage 230V Freezer Features • Product dimensions Bottle chill • Depth 576mm Test freeze <td>Energy usage</td> <td>244kWh/year</td> <td>Minimum inside width of</td> <td>600mm</td>	Energy usage	244kWh/year	Minimum inside width of	600mm
Features Adjustable door shelves 4 Performance Adjustable glass cantilevered • ActiveSmart™ Foodcare • Covered door shelves 1 Adaptive defrost • Door alarm • Dual evaporator • Internal water dispenser • Frost free • Internal water dispenser • Humidity control system • LED bin lighting • Humidity control system • LED ceiling lighting • Inverter controlled compressor • LED side lighting • Sabbath mode • SmartTouch control panel • Sabbath mode • Stackable bottle holders 2 Power requirements 10A Wi-Fi connectivity • Supply frequency 50Hz Supply voltage 230V Freezer Features • Supply voltage 230V Freezer Features • Depth 576mm Bottle chill • Depth 576mm Door alarm • Height 1870mm Freezer bins 3 • Warranty	In-use energy carbon	158.9kgCO2e/year	Minimum internal depth of	600mm
Adjustable door shelves Adjustable glass cantilevered Adjustable glass cantilevered ActiveSmart™ Foodcare Adaptive defrost Prost free Prost free Aumidity control system Inverter controlled compressor Inverter controlled compressor Inverter controlled compressor Asabbath mode Power requirements Autornation control panel ActiveSmart™ Foodcare Power requirements Autornatic ice maker Automatic ice maker Product dimensions Bottle chill Product dimensions Bottle chill ActiveSmart™ Foodcare Product dimensions ActiveSmart™ Foodcare ActiveSmart™ Foodcare Product dimensions ActiveSmart™ Foodcare ActiveSmart™ Foodcare Product dimensions ActiveSmart™ Foodcare ActiveSmart™ Foodcare ActiveSmart™ Foodcare Product dimensions ActiveSmart™ Foodcare ActiveSmart™ Foodcare ActiveSmart™ Foodcare ActiveSmart™ Foodcare Product dimensions ActiveSmart™ Foodcare ActiveSmar			Minimum internal height of	1880mm
Adjustable glass cantilevered Covered door shelves 1 Adaptive defrost Door alarm Door	Features			
Covered door shelves 1 Adaptive defrost Doal evaporator Internal water dispenser Internal water dispenser IED bin lighting IED ceiling lighting IIN limerter controlled compressor IED side lighting IIN limerter controlled compressor IED side lighting IIN limerter controlled compressor IED side lighting IIN limerter controlled compressor IN limer	Adjustable door shelves	4	Performance	
Door alarm Door alarm Door alarm Door alarm Door alarm Prost free Product dimensions Prost freeze Prost free Product dimensions Prost freeze Prost freeze Prost free Product dimensions Prost freeze Prost freeze Product dimensions Prost freeze Prost freeze Product dimensions Product di	Adjustable glass cantilevered	•	ActiveSmart™ Foodcare	•
Internal water dispenser LED bin lighting . Humidity control system . LED ceilling lighting . Inverter controlled compressor . LED side lighting . Sabbath mode . SmartTouch control panel . Stackable bottle holders . Power requirements . Water tank capacity . LED supply frequency . Supply frequency . Supply voltage . Supply vo	Covered door shelves	1	Adaptive defrost	•
LED bin lighting	Door alarm	•	Dual evaporator	•
LED ceiling lighting . Inverter controlled compressor . Sabbath mode . Sabb	Internal water dispenser	•	Frost free	•
LED side lighting SmartTouch control panel Stackable bottle holders Water tank capacity IL Rated current Supply frequency Supply voltage Supply voltage 230V Freezer Features Automatic ice maker Bottle chill Door alarm Fast freeze Width Freezer bins IL Warranty Warranty	LED bin lighting	•	Humidity control system	•
SmartTouch control panel Stackable bottle holders 2 Power requirements Water tank capacity 1L Rated current 10A Wi-Fi connectivity Supply frequency Supply voltage 230V Freezer Features Automatic ice maker Product dimensions Bottle chill Door alarm Fast freeze Width S92mm Freezer bins IL Rated current 10A Power requirements 10A Power requirements 10A 10A Power requirements 10A Power requirements 10A 10A 10A 10A 10A 10A 10A 10	LED ceiling lighting	•	Inverter controlled compressor	•
Stackable bottle holders Water tank capacity 1L Rated current Supply frequency Supply voltage Supply voltage 230V Freezer Features Automatic ice maker Automatic hill Door alarm Fast freeze Width Freezer bins Ice Boost Warranty	LED side lighting	•	Sabbath mode	•
Water tank capacity Mi-Fi connectivity Supply frequency Supply voltage Supply voltage 230V Freezer Features Automatic ice maker Product dimensions Bottle chill Door alarm Height 1870mm Fast freeze Width Freezer bins Ice Boost Warranty	SmartTouch control panel	•		
Wi-Fi connectivity Supply frequency Supply voltage Supply voltage Product dimensions Bottle chill Door alarm Fast freeze Width Freezer bins Supply voltage Very supply voltage 1870mm Warranty Warranty	Stackable bottle holders	2	Power requirements	
Supply voltage 230V Freezer Features Automatic ice maker	Water tank capacity	1L	Rated current	10A
Automatic ice maker Bottle chill Depth Door alarm Height Height Freezer bins September 1870mm Warranty	Wi-Fi connectivity	•	Supply frequency	50Hz
Automatic ice maker Product dimensions Depth Depth Fast freeze Height Width Freezer bins See Boost Warranty Product dimensions Product dimensions Freedem See See See See See See See See See S			Supply voltage	230V
Bottle chill Depth Page 1870mm Height Height Breezer bins Bottle chill Height Height Width Fast freeze Width Freezer bins Warranty	Freezer Features			
Door alarm • Height 1870mm Fast freeze • Width 592mm Freezer bins 3 Ice Boost • Warranty	Automatic ice maker	•	Product dimensions	
Fast freeze • Width Freezer bins 3 Ice Boost • Warranty	Bottle chill	•	Depth	576mm
Freezer bins 3	Door alarm	•	Height	1870mm
Ice Boost • Warranty	Fast freeze	•	Width	592mm
vvarianty	Freezer bins	3		
Ice making rate per day 1kg Parts and labour 2 years	Ice Boost	•	Warranty	
	Ice making rate per day	1kg	Parts and labour	2 years

Sealed system parts only	5 years
SKU	26210

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS6019BRU1 Date: 24.04.2024 > 3



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W**www.fisherpaykel.com