

60cm Series 9 Integrated Triple Zone Refrigerator

Integrated




Pair with the Integrated Triple Zone Freezer for the ultimate kitchen solution – this model features three independent food zones taking cooling flexibility to a new level.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water with internal water dispenser
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	1870 mm
Width	592 mm
Depth	576 mm



FEATURES & BENEFITS

Three Levels Of Freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Fridge zone has adjustable temperature from 1 to 6°C, while the bottom two compartments can be converted into a Fridge (1 to 6°C), Pantry (11 to 13°C) or Chill zone (-1.5 to 0°C), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Slimline Water Dispenser

The slimline water dispenser is located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The flush fit design maximises internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the refrigerator door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

- Hinge change (from right hinge to left hinge)

Accessories (sold separately)		In-use energy carbon emissions estimate	106.8kgCO2e/year	Power requirements		
Door panel set stainless steel	Right & Left hinge RD6019	Features Adjustable door shelves Adjustable glass cantilevered shelves Covered door shelves Door alarm LED bin lighting LED ceiling lighting LED side lighting Smart appliance SmartTouch control panel Stackable bottle holders 4 • 1 • • • • • • 2		Rated current		10 A
Handle kit Classic	AHCLRDSF			Supply frequency		50 Hz
Handle kit Contemporary round, aluminium	AHSRDSF			Supply voltage		230 V
Handle kit Contemporary square fine, aluminium	AHD5RDSF			Product dimensions		
Handle kit Contemporary square fine, black	AHD5RDSFB			Depth		576 mm
Handle kit Contemporary square, aluminium	AHD7RDSFX			Height		1870 mm
Handle kit Minimal rectangular, black	AHM1RDSFB			Width		592 mm
Handle kit Professional round flush	AHP3RDSF					
Joiner Kit	AJRS19LR					
Toe kick stainless steel 1200mm	AKRS12010					
Toe kick stainless steel 1800mm	AKRS18010					
Toe kick stainless steel 600mm	AKRS06010			SKU	26197	
Water filter replacement	847200 - FWC3					
				The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Capacity		Installation Dimensions				
Total gross capacity	330 L	Minimum inside width of cabinetry frame	600 mm			
Volume	306 L	Minimum internal depth of cabinetry	600 mm			
Volume refrigerator	306 L	Minimum internal height of cabinetry	1880 mm			
				Other product downloads available at fisherpaykel.com		
Connected Features		Performance				
Alerts and notifications	•	ActiveSmart™ Foodcare	•	↓	DXF	
Cyber security updates until	13 / 02 / 2028	Adaptive defrost	•	↓	DXF	
Education and onboarding	•	Frost free	•	↓	DXF	
Remote operation	•	Humidity control system	•	↓	DXF	
Software updates	•	Humidity controlled crisper bins	4	↓	Archicad	
		Inverter controlled compressor	•	↓	DWG	
		Sabbath mode	•	↓	DWG	
		Triple evaporator	•	↓	DWG	
		Variable food modes	Pantry; Fridge; Chill	↓	Energy Label	
Energy rating	3.5 star	Variable temperature zones	3	↓	Installation Guide - Assisted Opening Accessory - Integrated Refrigeration (English)	
Energy usage	175kWh/year			↓	Installation Guide (English)	
				↓	Planning Guide - Assisted Opening Accessory (English)	

- [↓](#) Planning Guide (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Rhino - Custom Panel
- [↓](#) Rhino - Door and Classic Round Handle
- [↓](#) Rhino - Door and Contemporary Round Handle
- [↓](#) Rhino - Door and Professional Round Flush Handle
- [↓](#) Rhino - Door and Square Fine Black Handle
- [↓](#) Rhino - Door and Square Fine Handle
- [↓](#) SketchUp
- [↓](#) SketchUp - Custom Panel
- [↓](#) SketchUp - Door and Classic Round Handle
- [↓](#) SketchUp - Door and Contemporary Round Handle
- [↓](#) SketchUp - Door and Professional Round Flush Handle
- [↓](#) SketchUp - Door and Square Fine Black Handle
- [↓](#) SketchUp - Door and Square Fine Handle
- [↓](#) User Guide (English)
- [↓](#) Installation Video

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1300 650 590 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)