QUICK REFERENCE GUIDE > RS6019F3LJ1

Integrated Triple Zone Freezer, 60cm, Ice

Series 9 | Integrated

Panel Ready | Left hinge



Pair with the Integrated Triple Zone Refrigerator for the ultimate kitchen solution - this model features three independent food zones taking cooling flexibility to a new level.

- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 4mm gaps and custom height installation
- · Internal ice maker with boost for busy times
- · Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870mm
Width 592mm
Depth 576mm

FEATURES & BENEFITS

Three levels of freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Freezer zone has adjustable temperature from -21°C to -14°C, while the top two compartments can be converted into a Chill (-1.5°C to 0°C), Soft-Freeze (-10°C to -8°C) or Freezer zone (-21°C to -14°C), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Chill mode

Keep ready-to-eat food fresher for longer with Chill mode (-1.5 to 0°C). Chill mode is a perfect solution for everyday life. It keeps meats, poultry and fish as cool as possible without freezing,

retaining vital freshness and helps food retain its condition. It's also great for entertaining. Set one of the top two compartments to Chill mode to quickly bring beverages down to serving temperature.

Clever energy

ActiveSmart[™] Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories

Hinge change (from left hinge

Joiner Kit

AJRS19LR

Accessories (sold separately)

Door panel stainless steel RD6019 (right & left hinge)
Handle kit Contemporary AHD5RDSF
Handle kit Contemporary AHD5RDSFB
Handle kit Contemporary AHD5RDSFB
Handle kit Professional round AHP3RDSF
Toe kick stainless steel AKRS12010

QUICK REFERENCE GUIDE > RS6019F3LJ1

Toe kick stainless steel	AKRS18010	ActiveSm
Toe kick stainless steel 600mm	AKRS06010	Adaptive
Water filter replacement	847200 - FWC3	Frost free
		Inverter c
Capacity		Sabbath r
Volume	303L	Triple eva
Volume freezer	303L	Variable f
		Variable t
Features		
Adjustable door shelves	2	Power red
SmartTouch control panel	•	Amperage
		Supply fre
Freezer Features		Supply vo
Automatic ice maker	•	
Bottle chill	•	Product d
Door alarm	•	Depth
Fast freeze	•	Height
Freezer bins	4	Width
Ice Boost	•	
Ice making rate per day	1kg	Warranty
LED bin lighting	•	Parts and
LED ceiling lighting	•	Sealed sys
LED side lighting	•	
Installation Dimensions		SKU
Minimum inside width of	600mm	
Minimum internal depth of	600mm	The product of
Minimum internal height of	1880mm	The product of and model. Ur specifications

Performance

	•
Adaptive defrost	•
Frost free	•
Inverter controlled compressor	•
Sabbath mode	•
Triple evaporator	•
Variable food modes	Chill, Soft freeze, Freezer
Variable temperature zones	3
Power requirements	
Amperage	10 <i>A</i>
Supply frequency	50Hz
Supply voltage	230V
Product dimensions	
Depth	576mm
Height	1870mm
	592mm
Width	3321111
	3321111
Warranty Parts and labour	
Warranty	2 years 5 years

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RS6019F3LJ1 Date: 02.05.2024 > 3

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Integrated Refrigerator & Freezer



User Guide DishDrawer™ ZH



User Guide Integrated Refrigerator Freezer EN



Installation Guide Integrated Refrigeration



Data Sheet Freezer



Data Sheet Freezer with Custom Panel



Planning Guide Refrigeration



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T +65 6741 0777 **W**www.fisherpaykel.com