Freestanding Cooker, Dual Fuel, 90cm, 5 Burners, Selfcleaning

Series 9 | Classic

Stainless Steel




Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a nine-function convection oven.

- Five burner gas cooktop with three wok burners
- Convection oven with 140L capacity and nine oven functions plus rotisserie including Pastry Bake with pizza mode
- Non-tip full-extension shelves for safe removal of hot dishes
- Pyrolytic self-clean that breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946mm
Width	897mm
Depth	600mm



FEATURES & BENEFITS

Multi-shelf cooking

Our AeroTech[™] system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

FISHER & PAYKEL

Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

Burner Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

AccessoriesFlat wire shelf1Full extension sliding shelves2 sets (part 578744)Full extension telescopic2 sets (part 578744)Grill rack•Roasting dish1Rotisserie set1 setSmall pot support1 (part 533981 cast)Step down wire shelf•

Accessories (sold separately)

Kick strip, black (optional)	KICKOR90B1
Kick strip, red (optional)	KICKOR90R1
Kick strip, stainless steel	KICKOR90X1
Kick strip, white (optional)	KICKOR90W1

QUICK REFERENCE GUIDE > OR90SCG6X1

Burner ratings	
Dual wok burner inner/outer	14.9MJ/h
Dual wok burner inner/outer	16.2MJ/h
Maximum burner power	16.2MJ/h
Semi-rapid burner (LPG) x2	5.8MJ/h
Semi-rapid burner (natural	6.5MJ/h
Total cooktop power	58.0MJ/h
Triple ring wok burner (LPG)	14.4MJ/h
Triple ring wok burner (natural	14.4MJ/h
Capacity	
Shelf positions (main oven)	6
Total capacity	140L
Usable capacity (main oven)	120L
Cleaning	
Acid resistant graphite enamel	
Drop down grill element	
Pyrolytic proof shelf runners	
Pyrolytic self-clean	
Removable oven door	•
Removable oven door inner	•
Removable shelf runners	•
Controls	
Audio feedback	•
Automatic cooking/minute	•
Automatic pre-set	•
Celsius/Fahrenheit	•


Electronic clock	•
High resolution display	•
Laser etched graphics	•
Precise electronic temperature	•
Sabbath mode	•
Turned stainless steel clock	•
Turned stainless steel clock	•
Oven features	
AeroTech™ technology	•
Automatic rapid pre-heat	•
Bright chromed, cast zinc dials	•
Electronic oven control	•
Internal light	4 x 25W halogen (2 side & 2
Soft open/close door	•
Twin cavity fans	•
Warming drawer	
Warming drawer Oven functions	
	•
Oven functions	•
Oven functions Bake	•
Oven functions Bake Fan bake	• • • • •
Oven functions Bake Fan bake Fan forced	•
Oven functions Bake Fan bake Fan forced Fan grill	•
Oven functions Bake Fan bake Fan forced Fan grill Grill	
Oven functions Bake Fan bake Fan forced Fan grill Grill Number of functions	• • • • • • • • • • • • • • • • • • •
Oven functions Bake Fan bake Fan forced Fan grill Grill Number of functions Pastry Bake with Pizza mode	
Oven functions Bake Fan bake Fan forced Fan grill Grill Number of functions Pastry Bake with Pizza mode Rapid proof	
Oven functions Bake Fan bake Fan forced Fan grill Grill Number of functions Pastry Bake with Pizza mode Rapid proof Roast	• • • • • • • • • • • • • • • • • • •

	Que develo elecco
CoolTouch door	Quadruple glazed
Warming drawer power	202W
Power requirements	
Amperage	234
Supply frequency	50H2
Supply voltage	220 - 240\
Product dimensions	
Depth	600mm
Height	898 - 946mm
Width	897mn
Cooktop Features	
Brass burner spreader (power	
Embossed brass burner cap	
Hob rail	
LPG/Natural gas compatible	
Sealed range top	
Cooktop Performance	
Number of burners	!
Safety	
Advanced cooling system	
Anti-tilt bracket	
Balanced oven door	

QUICK REFERENCE GUIDE > OR90SCG6X1

CoolTouch door	•
Flame failure system	•
Full extension telescopic	•
Non-tip shelves	•
Varranty Parts and labour	2 years

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020





Installation Guide



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com