

# Integrated Dual Zone Freezer, 60cm

Series 9 | Integrated

Panel Ready | Left hinge



Pair with the Integrated Dual Zone Refrigerator for the ultimate kitchen solution – this model features two independent food zones taking cooling flexibility to a new level.

- Flush fit design with 4mm gaps and custom height installation
- Two independent food zones with adjustable temperature from -21 to -14°C
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

## DIMENSIONS

Height	1870mm
Width	592mm
Depth	576mm

## FEATURES & BENEFITS

### Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

### Independent Food Zones

When it comes to optimal food preservation, one temperature does not fit all. With two independent food zones, you can create the perfect climate for storing different foods. Each zone has adjustable temperature from -21°C to -14°C, ideal for items such as meat, seafood, frozen desserts and ice.

### Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

### Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

### Flexible Storage

Designed to make it simple for you to store, access and remove food, this freezer includes LED-lit adjustable cantilevered

shelving and full extension bins.

### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

## SPECIFICATIONS

### Accessories

Hinge change (from left hinge)	•
Joiner Kit	AJRS19LR

### Accessories (sold separately)

Door panel stainless steel	RD6019 (right & left hinge)
Handle kit Contemporary	AHSRDSF
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB
Handle kit Professional round	AHP3RDSF
Toe kick stainless steel	AKRS12010
Toe kick stainless steel	AKRS18010
Toe kick stainless steel 600mm	AKRS06010

### Capacity

Volume	304L
Volume freezer	304L

---

### Consumption

Energy rating	<b>4 star</b>
Energy usage	<b>256kWh/year</b>
In-use energy carbon	<b>34.7kgCO2e/year</b>

---

### Features

Adjustable glass cantilevered	•
Adjustable glass shelves	<b>2</b>
SmartTouch control panel	•
Wi-Fi connectivity	•

---

### Freezer Features

Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	<b>2</b>
LED ceiling lighting	•

---

### Installation Dimensions

Minimum inside width of	<b>600mm</b>
Minimum internal depth of	<b>600mm</b>
Minimum internal height of	<b>1880mm</b>

---

### Performance

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Inverter controlled compressor	•

Sabbath mode	•
--------------	---

---

### Power requirements

Rated current	<b>10A</b>
Supply frequency	<b>50Hz</b>
Supply voltage	<b>230V</b>

---

### Product dimensions

Depth	<b>576mm</b>
Height	<b>1870mm</b>
Width	<b>592mm</b>

---

### Warranty

Parts and labour	<b>2 years</b>
Sealed system parts only	<b>5 years</b>

---

SKU	26218
-----	-------

---

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel

products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

T 0800 372 273 W [www.fisherpaykel.com](http://www.fisherpaykel.com)