

30" Series 9 Integrated Column Freezer, Ice

Integrated




<p>Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with white interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84 "
Width	29 3/4 "
Depth	24 "



FEATURES & BENEFITS

- Variable Temperature Zones**
Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.
- Mix & Match**
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.
- Clever Energy**

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

- Appealing Illumination**
Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.
- Design Quality**
The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Easy Install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit
These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)	
Door panel stainless steel Left hinge 84"	RD3084L4D
Door panel stainless steel Right hinge 84"	RD3084R4D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF

Handle kit Professional round flush, Brass off-stands		AHP3RDSFBA	Automatic ice maker	•	SKU	26133
Handle kit Professional round flush, Dark Copper off-stands		AHP3RDSFDC	Bottle chill	•		
Joiner Kit		AJ-RS84LR	Door alarm	•		
Stainless steel door panel		RD3084R4D	Fast freeze	•		
Toe kick stainless steel 30"		AKRS3084	Freezer bins	4		
Toe kick stainless steel 48"		AKRS4804	Ice Boost	•		
Toe kick stainless steel 54"		AKRS5404	LED bin lighting	•		
Toe kick stainless steel 60"		AKRS6004	LED ceiling lighting	•		
Toe kick stainless steel 66"		AKRS6604	LED side lighting	•		
Toe kick stainless steel 72"		AKRS7204	SmartTouch interface at counter height	•		
Toe kick stainless steel 78"		AKRS7804				
Toe kick stainless steel 84"		AKRS8404				
Capacity			Performance			
Total gross capacity		15.6 cu ft	ActiveSmart™ Foodcare	•	↓ DXF	
Volume		15.6 cu ft	Adaptive defrost	•	↓ DWG	
Volume freezer		15.6 cu ft	Dual evaporator	•	↓ Energy Label	
						↓ Water Filter Replacement Instructions - Parts 847200 and 847201 (English)
Consumption			Frost free	•	↓ Installation Guide (English)	
Energy rating		Energy Star	Inverter controlled compressor	•	↓ Installation Guide - Toe Kick (English)	
Energy usage		491kWh/year	Sabbath mode	•	↓ Water Filter Replacement Instructions - Parts 847200 and 847201 (French)	
In-use energy carbon emissions estimate		56.6kgCO2e/year	Variable temperature zones	2	↓ Installation Guide (Canadian French)	
						↓ Installation Guide (Canadian French)
Features			Power requirements		↓ Installation Guide (English)	
Adjustable door shelves		4	Rated current	10 A	↓ Key Purchase Decisions (English)	
Adjustable glass cantilevered shelves		•	Supply frequency	60 Hz	↓ Planning Guide (English)	
Door alarm		•	Supply voltage	115 V	↓ Revit	
						↓ Rhino - Custom Panel
Freezer Features			Product dimensions		↓ Rhino - Door and Contemporary Round Handle	
			Depth	24 "	↓ Rhino - Door and Contemporary Square Handle	
			Height	84 "	↓ Rhino - Door and Professional Round Handle	
			Width	29 3/4 "	↓ Rhino - Door and Professional Square Handle	
						↓ Right To Repair Declaration (English, Canadian French)
						↓ SketchUp - Custom Panel
						↓ SketchUp - Door and Contemporary Round Handle
						↓ SketchUp - Door and Contemporary Square Handle
						↓ SketchUp - Door and Professional Round Handle
						↓ SketchUp - Door and Professional Square Handle
						↓ User Guide (English)
						↓ User Guide (English)
						↓

- [↓](#) User Guide (Canadian French)
- [↓](#) User Guide (Canadian French)
- [↓](#) User Guide (English)
- [↓](#) Installation Video

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com