QUICK REFERENCE GUIDE > RS6019BRU1

Integrated Refrigerator Freezer, 60cm, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870mm
Width 592mm
Depth 576mm

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

INTERNAL WATER DISPENSER AND ICE MAKER

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

FLEXIBLE STORAGE

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered

shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories

Hinge change (from right hinge

Accessories (sold separately)

Door panel set stainless steel	RD6019BR (right hinge)
Handle kit Contemporary	AHSRDB19
Handle kit Contemporary	AHD5RDB19
Handle kit Contemporary	AHD5RDB19E
Handle kit Professional round	AHP3RDB19
Joiner kit	AJRS19LF
Toe kick stainless steel	AKR\$12010
Toe kick stainless steel	AKR\$18010
Toe kick stainless steel 600mm	AKRS06010
Water filter replacement	847200 - FWC3

Capacity

Volume 303L

QUICK REFERENCE GUIDE > RS6019BRU1

Volume freezer	123L	LED bin lighting	•
Volume refrigerator	180L	LED ceiling lighting	•
		LED side lighting	•
Consumption			
Energy rating	D	Installation Dimensions	
Energy usage	204kWh/year	Minimum inside width of	600mm
In-use energy carbon	40.6kgCO2e/year	Minimum internal depth of	600mm
		Minimum internal height of	1880mm
Features			
Adjustable door shelves	4	Performance	
Adjustable glass cantilevered	•	ActiveSmart™ Foodcare	•
Covered door shelves	1	Adaptive defrost	•
Door alarm	•	Dual evaporator	•
Internal water dispenser	•	Frost free	•
LED bin lighting	•	Humidity control system	•
LED ceiling lighting	•	Inverter controlled compressor	•
LED side lighting	•	Sabbath mode	•
SmartTouch control panel	•		
Stackable bottle holders	2	Power requirements	
Water tank capacity	1L	Rated current	10A
Wi-Fi connectivity	•	Supply frequency	50Hz
		Supply voltage	230V
Freezer Features			
Automatic ice maker	•	Product dimensions	
Bottle chill	•	Depth	576mm
Door alarm	•	Height	1870mm
Fast freeze	•	Width	592mm
Freezer bins	3		
Ice Boost	•	Warranty	
Ice making rate per day	1kg	Parts and labour	5 years

Sealed system parts only	5 years
SKU	26210

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RS6019BRU1 Date: 02.05.2024 > 3

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Integrated Refrigerator & Freezer



Declaration of Conformity



Declaration of Conformity Refrigeration with WiFi Capability



Installation Guide Integrated Refrigerator



Data Sheet Refrigerator Freezer



Data Sheet Refrigerator Freezer with Custom Panel



Planning Guide Refrigeration



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com