

60cm Series 9 Integrated Triple Zone Refrigerator

Integrated




Pair with the Integrated Triple Zone Freezer for the ultimate kitchen solution – this model features three independent food zones taking cooling flexibility to a new level.

- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water with internal water dispenser
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	1870 mm
Width	592 mm
Depth	576 mm



FEATURES & BENEFITS

Three Levels Of Freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Fridge zone has adjustable temperature from 1 to 6°C, while the bottom two compartments can be converted into a Fridge (1 to 6°C), Pantry (11 to 13°C) or Chill zone (-1.5 to 0°C), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Slimline Water Dispenser

The slimline water dispenser is located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The flush fit design maximises internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the refrigerator door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

- Hinge change (from right hinge to left hinge)

Accessories (sold separately)

Door panel set stainless steel	Right & Left hinge RD6019	Features	Rated current	10 A
Handle kit Classic	AHCLRDSF	Adjustable door shelves	Supply frequency	50 Hz
Handle kit Contemporary round, aluminium	AHSRDSF	Adjustable glass cantilevered shelves	Supply voltage	230 V
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Covered door shelves		
Handle kit Contemporary square fine, black	AHD5RDSFB	Door alarm	Product dimensions	
Handle kit Contemporary square, aluminium	AHD7RDSFX	LED bin lighting	Depth	576 mm
Handle kit Minimal rectangular, black	AHM1RDSFB	LED ceiling lighting	Height	1870 mm
Joiner Kit	AJRS19LR	LED side lighting	Width	592 mm
Toe kick stainless steel 1200mm	AKRS12010	Smart appliance		
Toe kick stainless steel 1800mm	AKRS18010	SmartTouch control panel		
Toe kick stainless steel 600mm	AKRS06010	Stackable bottle holders		
Water filter replacement	847200 - FWC3		SKU	26207
Capacity		Installation Dimensions		
Total gross capacity	330 L	Minimum inside width of cabinetry frame		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Volume	306 L	Minimum internal depth of cabinetry		
Volume refrigerator	306 L	Minimum internal height of cabinetry		
Connected Features		Performance		Other product downloads available at fisherpaykel.com
Alerts and notifications	•	ActiveSmart™ Foodcare		↓ DXF
Education and onboarding	•	Adaptive defrost		↓ DXF
Remote operation	•	Frost free		↓ DXF
Software updates	•	Humidity control system		↓ DXF
		Humidity controlled crisper bins		↓ Archicad
		Inverter controlled compressor		↓ DWG
		Sabbath mode		↓ DWG
		Triple evaporator		↓ DWG
		Variable food modes	Pantry; Fridge; Chill	↓ DWG
		Variable temperature zones		↓ Energy Label
				↓ Energy Label
				↓ Installation Guide (English)
				↓ Planning Guide (English)
				↓ Product Information Sheet
				↓ Revit
Consumption		Power requirements		
Energy rating	C			
Energy usage	114kWh/year			
In-use energy carbon emissions estimate	32.6kgCO2e/year			

- [↓](#) Rhino
- [↓](#) Rhino - Custom Panel
- [↓](#) Rhino - Door and Classic Round Handle
- [↓](#) Rhino - Door and Contemporary Round Handle
- [↓](#) Rhino - Door and Professional Round Flush Handle
- [↓](#) Rhino - Door and Square Fine Black Handle
- [↓](#) Rhino - Door and Square Fine Handle
- [↓](#) SketchUp
- [↓](#) SketchUp - Custom Panel
- [↓](#) SketchUp - Door and Classic Round Handle
- [↓](#) SketchUp - Door and Contemporary Round Handle
- [↓](#) SketchUp - Door and Professional Round Flush Handle
- [↓](#) SketchUp - Door and Square Fine Black Handle
- [↓](#) SketchUp - Door and Square Fine Handle
- [↓](#) User Guide (English)
- [↓](#) Installation Video

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1800 625174 W www.fisherpaykel.com