QUICK REFERENCE GUIDE > RS2484WLU1

Integrated Refrigerator Freezer, 24", Ice & Water

Series 9 | Integrated

Panel Ready | Left hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart[™] technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

 Height
 84"

 Width
 23 3/4"

 Depth
 24"

FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal water dispenser and ice maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior. Internal storage space is maximized thanks to a flush-fit slimline water dispenser that gives a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel. The dual valve system instantly stops water flow to prevent drips and spills.

Flexible storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer. The door and veggie bins are family safe, allowing for hands-free operation

thanks to its soft close mechanism

Complementary design

Both the 24" and 30" Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Perfect fit

These models fit flush and have only 1/4" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Design quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

SPECIFICATIONS

A	Accessories (sold separately)				
[Door panel stainless steel Left	RD2484WLD			
[Door panel stainless steel Right	RD2484WRD			
ŀ	Handle kit Contemporary	AHSRD2484W			
ŀ	Handle kit Contemporary	AHD5RD2484W			
ŀ	Handle kit Contemporary	AHD5RD2484WB			
ŀ	Handle kit Contemporary	AHD3RD2484W			
ŀ	Handle kit Professional round	AHCRD2484W			
ŀ	Handle kit Professional round	AHP3RD2484W			
ŀ	Handle kit Professional square	AHV2RD2484W			
	loiner kit	AJ-RS84LR			
-	oe kick stainless steel 24"	AKRS2404			
-	oe kick stainless steel 42"	AKR\$4204			
-	Toe kick stainless steel 48"	AKRS4804			

QUICK REFERENCE GUIDE > RS2484WLU1 Date: 04.04.2024 > 2

Toe kick stainless steel 60" AKR5604 Stackable bottle holders 4 Toe kick stainless steel 66" AKR5604 Freezer Features Toe kick stainless steel 72" AKR57204 Freezer Features Toe kick stainless steel 78" AKR57804 Automatic ice maker . Toe kick stainless steel 84" AKR5404 Door alarm . Value filter replacement 847200 - FWC3 Fast freeze . Freezer bins 2 2 Capacity Freezer trays 1 Total gross capacity 12.08cu ft lce Boost . Volume 12.1cu ft LED bill pithing . Volume freezer 4.1cu ft LED ceiling lighting . Volume refrigerator 8cu ft LED side lighting . Consumption SmartTouch interface at . Energy rating Energy star ActiveSmart** Foodcare . Energy stating Energy star ActiveSmart** Foodcare . Adjustable door shelves 4 Dual evaporator .	Toe kick stainless steel 54"	AKRS5404	SmartTouch interface at	•
Toe kick stainless steel 72° AKRS7804 Freezer Features Toe kick stainless steel 84° AKRS7804 Automatic ice maker . Water filter replacement 847200 - FWC3 Fast freeze . Water filter replacement 847200 - FWC3 Fast freeze . Capacity Freezer trays 1 Total gross capacity 12.08cu ft LED bin lighting . Volume 12.1cu ft LED bin lighting . Volume freezer 4.1cu ft LED side lighting . Volume refrigerator 8cu ft LED side lighting . Consumption SmartTouch interface at . Energy rating Energy star ActiveSmart™ Foodcare . Energy suage 439kWh/year Performance . Adjustable door shelves 4 Dual evaporator . Adjustable glass cantilevered 5 Frost free freezer . Covered door shelves 1 Humidity control system . Door alarm 1 Variable food modes	Toe kick stainless steel 60"	AKRS6004	Stackable bottle holders	4
	Toe kick stainless steel 66"	AKRS6604		
Toe kick stainless steel 84" AKRS8404 Door alarm . Water filter replacement 847200 - FWC3 Fast freeze . Capacity Freezer bins 2 Capacity Freezer trays 1 Total gross capacity 12.08cu ft lce Boost . Volume 12.1cu ft LED bin lighting . Volume freezer 4.1cu ft LED ceiling lighting . Volume refrigerator 8cu ft LED side lighting . Consumption SmartTouch interface at . Energy rating Energy star Energy rating Energy star Energy usage 439kWh/year Adjustable door shelves 4 Dual evaporator 5 Adjustable glass cantilevered 5 Adjustable glass cantilevered 5 Adjustable glass cantilevered 5 Adjustable glass cantilevered 5 Adjustable bins 5 Sabbath mode 5 Further and water dispenser 5 Adjustable ships 5 Sabbath mode 5 Adjustable glass cantilevered 5 Adjustable glass cantilevered 5 Adjustable glass cantilevered 5 Adjustable bins 5 Sabbath mode 6 Adjustable glass cantilevered 5 Adjustable glass cantileve	Toe kick stainless steel 72"	AKRS7204	Freezer Features	
Water filter replacement 847200 - FWC3 Fast freeze Freezer bins 2 Capacity Freezer trays 1 Total gross capacity 12.08cu ft lee Boost Volume 12.1cu ft LED bin lighting . Volume freezer 4.1cu ft LED celling lighting . Max Cold . SmartTouch interface at . Energy rating Energy star Energy usage 439kWh/year Performance Adjustable door shelves Adjustable glass cantilevered Covered door shelves 1 Adjustable glass cantilevered Fruit and vegetable bins Callon door shelves 1 Callon doo	Toe kick stainless steel 78"	AKRS7804	Automatic ice maker	•
Capacity Freezer bins 1 Capacity Freezer trays 1 Total gross capacity 12.08cu ft Volume 12.1cu ft Volume freezer 4.1cu ft Volume refrigerator 8cu ft Consumption Energy rating Energy usage 439kWh/year Energy usage 439kWh/year Features Adjustable door shelves Adjustable glass cantilevered Covered door shelves 1 Adjustable glass cantilevered Covered door shelves 1 Door alarm Door alarm Fruit and vegetable bins 2 Salbath mode Salte Covered was alared and shelves 1 Variable food modes 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser LED celling lighting Power requirements LED celling lighting Power requirements LED sin lighting Power requirements LED lighting Rated current 1 Rated curr	Toe kick stainless steel 84"	AKRS8404	Door alarm	•
Capacity Freezer trays 1 Total gross capacity 12.08cu ft ice Boost . Volume 12.1cu ft LED bin lighting . Volume freezer 4.1cu ft LED ceiling lighting . Volume refrigerator 8cu ft LED side lighting . Consumption Smart Touch interface at . Energy rating Energy star Performance Energy usage 439kWh/year Performance Features Adaptive defrost . Adjustable door shelves 4 Dual evaporator . Adjustable glass cantilevered . Frost free freezer . Covered door shelves 1 Humidity control system . Door alarm . Inverter controlled compressor . Fruit and vegetable bins 2 Sabbath mode Pantry; Fridge; Soft freezer Gallon door shelves 1 Variable frood modes Pantry; Fridge; Soft freezer LED bin lighting . Power requirements LED bin lighting <td>Water filter replacement</td> <td>847200 - FWC3</td> <td>Fast freeze</td> <td>•</td>	Water filter replacement	847200 - FWC3	Fast freeze	•
Total gross capacity 12.08cu ft LeB bost • Volume 12.1cu ft LED bin lighting • Volume freezer 4.1cu ft LED ceiling lighting • Volume refrigerator 8cu ft LED side lighting • Consumption SmartTouch interface at • Energy rating Energy star • Energy usage 439kWh/year Performance Features ActiveSmart™ Foodcare • Adjustable door shelves 4 Dual evaporator • Adjustable glass cantilevered • Frost free freezer • Covered door shelves 1 Humidity control system • Door alarm • Inverter controlled compressor • Fruit and vegetable bins 2 Sabbath mode • Gallon door shelves 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser • Variable temperature zones 2 LED bin lighting • Power requirements LED celling lighting • Rated current 10A			Freezer bins	2
Volume 12.1cu ft LED bin lighting • Volume freezer 4.1cu ft LED ceiling lighting • Volume refrigerator 8cu ft LED side lighting • Max Cold • Consumption SmartTouch interface at • Energy rating Energy star Performance Energy usage 439kWh/year Performance Adjustable door shelves 4 Dual evaporator • Adjustable glass cantilevered 4 Dual evaporator • Covered door shelves 4 Dual evaporator • Covered door shelves 1 Humidity control system • Pruit and vegetable bins 2 Sabbath mode • Fruit and vegetable bins 2 Sabbath mode • Gallon door shelves 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser • Variable temperature zones 2 LED bin lighting • Power requirements LED ceiling lighting • Power requirements LED lighting • Re	Capacity		Freezer trays	1
Volume freezer 4.1cu ft LED ceiling lighting • Volume refrigerator 8cu ft LED side lighting • Max Cold • Consumption SmartTouch interface at • Energy rating Energy star Performance Energy usage 439kWh/year Performance Features Adaptive defrost • Adjustable door shelves 4 Dual evaporator • Adjustable glass cantilevered • Frost free freezer • Covered door shelves 1 Humidity control system • Door alarm • Inverter controlled compressor • Fruit and vegetable bins 2 Sabbath mode • Gallon door shelves 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser • Variable temperature zones 2 LED bin lighting • Power requirements LED ceiling lighting • Power requirements LED lighting • Rated current 10A	Total gross capacity	12.08cu ft	Ice Boost	•
Volume refrigerator 8cu ft LED side lighting • Max Cold • Consumption SmartTouch interface at • Energy rating Energy star Performance Energy usage 439kWh/year Performance ActiveSmart™ Foodcare • ActiveSmart™ Foodcare • Adjustable door shelves 4 Dual evaporator • Adjustable glass cantilevered • Frost free freezer • Covered door shelves 1 Humidity control system • Door alarm • Inverter controlled compressor • Fruit and vegetable bins 2 Sabbath mode • Gallon door shelves 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser • Variable temperature zones 2 LED bin lighting • Power requirements LED ceiling lighting • Power requirements LED lighting • Rated current 10A	Volume	12.1cu ft	LED bin lighting	•
Max Cold SmartTouch interface at Energy rating Energy usage 439kWh/year Performance ActiveSmart™ Foodcare ActiveSmart™ Foodcare ActiveSmart™ Foodcare • Adaptive defrost • Adjustable glass cantilevered • Covered door shelves • 1 Humidity control system • Fruit and vegetable bins • Gallon door shelves • Gallon door shelves • 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser • LED bin lighting • Power requirements LED lighting Rated current • SmartTouch interface at • SmartTouch interface at • Adaptive defrost •	Volume freezer	4.1cu ft	LED ceiling lighting	•
Consumption SmartTouch interface at • Energy rating Energy star ————————————————————————————————————	Volume refrigerator	8cu ft	LED side lighting	•
Energy rating Energy usage 439kWh/year Performance ActiveSmart™ Foodcare Adaptive defrost Adjustable door shelves Adjustable glass cantilevered Covered door shelves 1 Humidity control system Covered door shelves 1 Humidity control system Inverter controlled compressor Fruit and vegetable bins 2 Sabbath mode Gallon door shelves 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser LED bin lighting Power requirements LED ceiling lighting Rated current 10A			Max Cold	•
Energy usage439kWh/yearPerformanceFeaturesAdaptive defrost•Adjustable door shelves4Dual evaporator•Adjustable glass cantilevered•Frost free freezer•Covered door shelves1Humidity control system•Door alarm•Inverter controlled compressor•Fruit and vegetable bins2Sabbath mode•Gallon door shelves1Variable food modesPantry; Fridge; Soft freeze;Internal water dispenser•Variable temperature zones2LED bin lighting•Power requirementsLED ceiling lighting•Power requirementsLED lighting•Rated current10A	Consumption		SmartTouch interface at	•
Features Adaptive defrost Adjustable door shelves Adjustable glass cantilevered Adjustable glass cantilevered Covered door shelves 1 Humidity control system Covered door shelves 1 Inverter controlled compressor Fruit and vegetable bins 2 Sabbath mode Callon door shelves 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser LED bin lighting Power requirements LED lighting Rated current ActiveSmart™ Foodcare Adaptive defrost Pantry Frost free Power requirements Rated current	Energy rating	Energy star		
Adaptive defrost Adjustable door shelves 4 Dual evaporator • Frost free freezer • Frost free freezer • Door alarm Door alarm • Inverter controlled compressor • Fruit and vegetable bins 2 Sabbath mode • Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser LED bin lighting • Power requirements LED lighting • Rated current	Energy usage	439kWh/year	Performance	
Adjustable door shelves Adjustable glass cantilevered • Frost free freezer • Covered door shelves 1 Humidity control system • Inverter controlled compressor • Fruit and vegetable bins 2 Sabbath mode • Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser LED bin lighting • Power requirements LED lighting • Rated current			ActiveSmart™ Foodcare	•
Adjustable glass cantilevered Overed door shelves I Humidity control system Inverter controlled compressor Fruit and vegetable bins Sabbath mode Gallon door shelves Internal water dispenser LED bin lighting LED ceiling lighting Power requirements Rated current Frost free freezer Humidity control system Inverter controlled compressor Variable food modes Pantry; Fridge; Soft freeze; Variable temperature zones Power requirements Rated current	Features		Adaptive defrost	•
Covered door shelves 1 Humidity control system Inverter controlled compressor Inverter controlled compressor Inverter controlled compressor Callon door shelves 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser Variable temperature zones 2 LED bin lighting Power requirements LED lighting Rated current 10A	Adjustable door shelves	4	Dual evaporator	•
Door alarm Inverter controlled compressor Sabbath mode Callon door shelves Internal water dispenser LED bin lighting LED ceiling lighting Power requirements Rated current Inverter controlled compressor Sabbath mode Variable food modes Pantry; Fridge; Soft freeze; Variable temperature zones 2 Power requirements Rated current 10A	Adjustable glass cantilevered	•	Frost free freezer	•
Fruit and vegetable bins 2 Sabbath mode • Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser • Variable temperature zones 2 LED bin lighting • Power requirements LED lighting • Rated current 10A	Covered door shelves	1	Humidity control system	•
Gallon door shelves 1 Variable food modes Pantry; Fridge; Soft freeze; Internal water dispenser • Variable temperature zones 2 LED bin lighting • Power requirements LED lighting • Rated current 10A	Door alarm	•	Inverter controlled compressor	•
Internal water dispenser	Fruit and vegetable bins	2	Sabbath mode	•
LED bin lighting LED ceiling lighting Power requirements LED lighting Rated current 10A	Gallon door shelves	1	Variable food modes	Pantry; Fridge; Soft freeze;
LED ceiling lighting • Power requirements LED lighting • Rated current 10A	Internal water dispenser	•	Variable temperature zones	2
LED lighting • Rated current 10A	LED bin lighting	•		
	LED ceiling lighting	•	Power requirements	
LED side lighting • Supply frequency 60Hz	LED lighting	•	Rated current	10A
	LED side lighting	•	Supply frequency	60Hz

Supply voltage	115V
Product dimensions	
Depth	24"
Height	84"
Width	23 3/4"
Product information	
Packaged weight	357lbs
Unpackaged weight	269lbs
Warranty	
Parts and labour	2 years
Sealed system parts only	5 years
SKU	25684

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS2484WLU1

Other product downloads available at fisherpaykel.com



Energy Label



User Guide Integrated Refrigerator Freezer EN



Guide d'utilisation FR



Service & Warranty



Water Filter Replacement Instructions & Installation Guide EN



Guide d'installation - Instructions de Remplacement du Filtre à Eau FR



Guide d'installation FR



Installation Guide



Installation Guide Toe Kick



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com