

48" Series 7 Professional 8 Burner Gas Range, LPG

Professional



Size plus power. Eight burners deliver powerful 23,500 BTU heat, with two gas ovens for a combined 7.7 cu ft capacity.

- Top burner heat of 17,000 BTU, for seriously fast boiling
- Expansive 7.7 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes
- Made from quality materials and real stainless steel

DIMENSIONS

Height 35 3/4 - 36 3/4 "

Width 47 7/8 "
Depth 29 1/8 "

FEATURES & BENEFITS

Generous Capacity

Featuring a generous total capacity of 7.7 cu ft, with enough room to fit a 32 lb turkey, or to cook several dishes at once.

Cooktop Power

Sealed Dual Flow Burners™ deliver cooktop power up to 17,000 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Cooking Flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

Easy To Clean

Cleaning up spills is effortless with the continuous, porcelain basepan. Your cooktop simply needs a quick wipe to keep it looking good as new.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful legs to the powerful cooktop, the Range is built to last.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

SPECIFICATIONS

Burner ratings

Maximum burner power 17000 BTU
Power back centre 13000BTU

Power back centre (2) 13000BTU
Power back left 13000BTU
Power back right 13000BTU
Power centre 15000BTU
Power front centre (2) 15000BTU
Power front left 17000BTU
Power front right 17000BTU
Total cooktop power 116000 BTU

Capacity

Shelf positions 5
Total capacity (main oven) 5.3 cu ft
Total capacity second oven 2.4 cu ft
Usable capacity (main oven) 3.9 cu ft

Cleaning

Easy clean porcelain basepan •

Controls

Electric circuit 3
Metal illuminated dials •

Gas Requirements

Fitting and pipe 1/2" NPT, min. 1/2" flex line
Supply Pressure (LPG) 11" to 14" W.C

Main oven features

Broil pan •

Electronic oven control	•	Depth	29 1/8 "	Number of secondary oven functions	4
Full extension telescopic racks	•	Depth (excluding handles)	29 1/8 "	Proof	•
Internal light	•	Height	35 3/4 - 36 3/4 "	Slow cook	•
		Width	47 7/8 "		
Main oven functions		Rangetop features		SKU	86048
Bake	•	Sealed range top	•		
Broil	•	Vent trim included	•		
Convection bake	•			The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Number of oven functions	4				
Slow cook	•				
Oven features		Recommended Back Guards Ventilation		Other product downloads available at fisherpaykel.com	
Auto re-ignition system	•	Combustible situation	BGRV3-3048H	↓ Installation Guide (English) ↓ Installation Guide (Canadian French) ↓ California Warning Proposition 65 (English, Spanish, Canadian French, Chinese) ↓ Revit ↓ Rhino ↓ Right To Repair Declaration (English, Canadian French) ↓ SketchUp ↓ User Guide (English) ↓ User Guide (Canadian French)	
Electronic oven control	•	Non combustible situation	BGRV2-3048 / BGRV2-1248		
Full extension telescopic sliding shelves	•	Recommended hood	HCB48-12_N (48" Professional Range Hood, Dual Blower)		
Titanium coated, illuminated metal dials	•				
Oven functions		Safety			
Bake	•	ADA compliant	•		
Broil	•	Full extension telescopic sliding shelves	•		
Convection bake	•				
Slow cook	•				
Power requirements		Secondary oven features		Where applicable:	
Service	15 A	3/4 Extension racks	2	All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.	
Supply frequency	60 Hz	Electronic oven control	•		
Supply voltage	120 V	Internal light	•		
Product dimensions		Secondary oven functions			
		Bake	•		
		Convection bake	•		

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com