QUICK REFERENCE GUIDE > DD24SI9 N

# Integrated Single DishDrawer™ Dishwasher, Sanitize

Series 9 | Integrated

Panel Ready




A compact size to fit anywhere, room to wash a half load, and less bending.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- American Disabilities Act (ADA) compliant, this can be installed at an accessible height for loading and unloading

## **DIMENSIONS**

Height	16 1/8"
Width	23 9/16"
Depth	21 3/4"



#### **FEATURES & BENEFITS**

## SEAMLESS INTEGRATION

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

#### Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

#### Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

#### Knock to pause

Instead of needing a remote control, these DishDrawer™
Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

## Quiet performer

Running at a very low decibel rate, these DishDrawer™
Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## **SPECIFICATIONS**

### Accessories

Cutlery basket •

Knife clip and multipurpose

#### Accessories (sold separately)

Door panel stainless steel ADDD24SPX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary AHS-OBDD-60S AHD5-OBDD-60SX Handle kit Contemporary Handle kit Contemporary AHD5-OBDD-60SB Handle kit Contemporary AHD3-OBDD-60S Handle kit Professional round AHP3-DWDD-SX Handle kit Professional round AHP3DDDW24BA Handle kit Professional round AHP3DDDW24DC

QUICK REFERENCE GUIDE > DD24SI9 N

Capacity and loading	
Accommodates round plates	11"
Adjustable height, foldable	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Consumption	
Energy usage	144kWh/yeai
In-use energy carbon	52.8kgCO2e/year
Water usage (per wash cycle)	1.64 ga
Controls	
Electronic fault/Diagnostic	•
End of cycle beeps	•
Energy saving delay start	•
Internal wash selector	•
Keylock	•
Knock to pause	•
Rinse aid indicator light	•
Wi-Fi connectivity	•
Features	
Fan assisted drying	•
Flow through detergent	•
Quiet operation	•
SmartDrive™ technology	•

Performance

Noise emissions	43dBA
Power requirements	
Amperage	5A
Electric circuit	3 wire
Rated current	15A
Supply frequency	60Hz
Supply voltage	100 - 120V
Product dimensions	
Depth	21 3/4"
Height	16 1/8"
Width	23 9/16"
Safety and compliance	
ADA compliant	•
Warranty	
Parts and labor	Limited 2 years
Wash Program Modifiers	
Extra Dry	•
Quick	•
Sanitize	•
Wash modifiers	3
Wash Programs	
Delicate	•
Eco	•
Fast	•

Water connection	
Wash programs	6
Rinse	•
Medium	•
Heavy	•

Inlet water temperature	Max 140°F
Supplied hose to suit 3/8"	•
Water pressure	30kPa - 1000 kPa
Water supply	3/8" to suit Male Compression

82342

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > DD24SI9 N Date: 02.05.2024 > 3

## Other product downloads available at fisherpaykel.com



Quick Start Guide



Service & Warranty



Energy Label Single DishDrawer™ Dishwasher



User Guide DishDrawer™ Dishwasher EN



Installation Guide Single Dish Drawer EN



Installation Guide DishDrawer™ Dishwasher Venting Kit EN



Data Sheet Integrated Single DishDrawer™ Dishwasher



Planning Guide Professional Style Dial/Handle Accessories



Planning Guide Integrated Single DishDrawer™



## A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com