

61cm Series 11 Integrated Column Freezer, Ice

Integrated




Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height	2134 mm
Width	603 mm
Depth	610 mm



FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS21LR
------------	-----------

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm	RD6121L10D	Energy usage	304kWh/year	Adaptive defrost	•
Door panel stainless steel Right hinge 610mm	RD6121R10D	In-use energy carbon emissions estimate	28.9kgCO2e/year	Dual evaporator	•
Handle kit Classic	AHCLRDSF			Frost free	•
Handle kit Contemporary round, aluminium	AHSRDSF			Frost free freezer	•
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Features		Inverter controlled compressor	•
Handle kit Contemporary square fine, black	AHD5RDSFB	Adjustable door shelves	4	Noise emissions	42 dBA
Handle kit Contemporary square, aluminium	AHD7RDSFX	Adjustable glass cantilevered shelves	•	Noise emissions class	D
Handle kit Minimal rectangular, black	AHM1RDSFB	Adjustable glass shelves	4	Sabbath mode	•
Handle kit Professional round flush	AHP3RDSF	Adjustable half width door shelves	3	Variable temperature zones	2
Joiner kit	AJ-RS21LR	Front levelling feet	•		
Toe kick stainless steel 1220mm	AKRS12210	Smart appliance	•		
Toe kick stainless steel 1372mm	AKRS13710			Power requirements	
Toe kick stainless steel 1828mm	AKRS18310			Rated current	10 A
Toe kick stainless steel 1981mm	AKRS19810	Freezer Features		Supply frequency	50 Hz
Toe kick stainless steel 610mm	AKRS06110	Automatic ice maker	•	Supply voltage	230 - 240 V
Water filter replacement	847200 - FWC3	Bottle chill	•		
		Door alarm	•	Product dimensions	
		Fast freeze	•	Depth	610 mm
Capacity		Freezer bins	4	Height	2134 mm
Total gross capacity	368 L	Ice Boost	•	Width	603 mm
Volume	336 L	LED bin lighting	•		
Volume freezer	336 L	LED ceiling lighting	•		
Volume variable temperature compartment	295 L	LED side lighting	•		
		SmartTouch interface at counter height	•	Product information	
Connected Features				Packaged weight	137 kg
Alerts and notifications	•	Installation Dimensions		Unpackaged weight	117 kg
Education and onboarding	•	Minimum inside width of cabinetry frame	610 mm		
Remote operation	•	Minimum internal depth of cabinetry	635 mm	SKU	26951
Software updates	•	Minimum internal height of cabinetry	2134 mm		
Consumption		Performance			
Energy rating	3.5 star	ActiveSmart™ Foodcare	•		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 0800 372 273 W www.fisherpaykel.com

Other product downloads available at fisherpaykel.com

- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DWG](#)
- [↓ DWG](#)
- [↓ Energy Label](#)
- [↓ Installation Guide - Assisted Opening Accessory - Integrated Refrigeration \(English\)](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Planning Guide - Assisted Opening Accessory \(English\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ SketchUp](#)
- [↓ User Guide \(English\)](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.