

QUICK REFERENCE GUIDE

HC90BHOXB1

90CM WALL CHIMNEY BOX RANGEHOOD



Engineered for optimum extraction of fumes, smoke and vapour. The powerful fan removes cooking odours from the kitchen. It's easy to use, easy to clean and features intuitive controls.

FEATURES & BENEFITS

High performance filtering system	Separates at least 85% of grease and removes at least 95% of odours
Ten speed brushless motor	Provides low maintenance, more reliability, efficiency and is quieter.
LED lighting	Four LED lights for even lighting cooking surface. Long lasting and efficient.
Touch Control	Seamless and easy to clean control panel. Lighting and function control at light finger touch
Energy efficiency	First grade energy efficiency rating
Flexible ducting included	Comes ready to be installed into a ducted installation. Flexible ducting 175mm diameter and 1.5 meter in length is included.

SPECIFICATIONS

Finish	Stainless steel black glass
Dimensions	H625 - 930 x W895 x D535mm
Fan ratings	
Max. airflow	1080m ³ /hr
Maximum pressured airflow	1020m ³ /hr
Max. decibel rating	68dBA
Performance	
Extraction Type	Grease Management System
Fan speeds	Variable
Installation	
Two-piece height adjustable flue	●
Air outlet	175mm
Ducted - top extraction	●
Controls	
Control type	Touch Control
Light type	LED x4
Accessories	
Chimney extension	●
Ducting solution	Included
Manufacturer's warranty	1 year



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 400 640 8777 W fisherpaykel.com

© Fisher & Paykel Appliances 2015

Under Fisher & Paykel's policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your Dealer or Fisher & Paykel's Customer Care Centre. For full installation & specifications visit fisherpaykel.com.

Fisher & Paykel


DATA SHEET

900MM WALL CANOPY RANGEHOOD

Model no:

HC90BHOXB1

Product Dimensions	mm
Ⓐ Maximum height of rangehood	930
Ⓑ Minimum overall height if ducted through ceiling	625
Ⓒ Minimum overall height if ducted through rear	825
Ⓓ Overall width of rangehood	895
Ⓔ Overall depth of rangehood	549
Ⓕ Depth of hood	535
Ⓖ Height of canopy	70
Ⓜ Height from bottom datum to top of stainless strip	10
Ⓢ Width of chimney	375
Ⓣ Depth of chimney to rear datum	372
Ⓚ Ducting outlet diameter	175
Ⓛ Distance from centre of ducting outlet to rear datum	160
Ⓜ Distance from centre of ducting outlet to product centreline	76
Ⓝ Distance from rear datum to rear of hood	15
Ⓞ Distance from bottom datum to bottom of oil receptacle	12



INDICATES PRODUCT DATUM -----

DATE: **09.10.2015**


IMPORTANT NOTE: Throughout this guide, dimensions may vary by $\pm 2\text{mm}$ ($3/32"$). Please read the installation manual for detailed information on installing the product. www.fisherpaykel.com



Fisher & Paykel

Model no:
HC90BHOXB1

Product Dimensions	mm
Ⓐ Overall width of cooker hood	895
Ⓑ Overall depth of cooker hood	549
Ⓒ Depth of hood	535
Ⓓ Distance from rear datum to rear of hood	15
Ⓔ Width between light centres	825
Ⓕ Distance from rear datum to back of back light	35
Ⓖ Distance from rear datum to front of back light	235
Ⓜ Distance from rear datum to back of front light	303
Ⓨ Distance from rear datum to front of front light	503



INDICATES PRODUCT DATUM -----

DATE: **09.10.2015**

IMPORTANT NOTE: Throughout this guide, dimensions may vary by $\pm 2\text{mm}$ ($3/32''$). Please read the installation manual for detailed information on installing the product. www.fisherpaykel.com

