RS36A72J1

36" ACTIVESMART™ BUILT-IN PANEL READY FRENCH DOOR REFRIGERATOR WITH ICE



The next generation of family size Fisher & Paykel Built-in refrigerators offers a new level of fit and finish to deliver seamless kitchen integration. Designed for easy installation and flush fit into new or existing kitchen cabinetry with minimal ¼" gaps. With internal ice making and SmartTouch controls these refrigerators are designed to match with our family of kitchen appliances.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 W fisherpaykel.com

| FEATURES | BENEFITS |
|-------------------------|--|
| Seamless Integration | The Built-in series minimizes gaps through heavy- duty inline hinges and adjustable doors enabling minimal gaps to create consistent lines throughout your kitchen. The series fits flush with cabinetry to reduce disruption and deliver design freedom. |
| Sized to Suit | The spacious 36" French Door refrigerator is designed for family life, with double doors for |
| | easy access to uninterrupted refrigerator space. |
| Fresher Food for Longer | ActiveSmart [™] technology helps keep your food fresher for longer by constantly monitoring how you use your refrigerator and adapting to maintain a controlled environment and optimum temperature. |
| Easy Cleaning | Removable, spill-safe cantilevered glass shelves are designed to contain drips and spills that can be simply wiped away, while leaving the interior walls completely smooth and easy to clean. Storage bins just need a wipe to keep spotless. |
| Flexible Living | These refrigerators adapt to suit your lifestyle by streamlining food preparation and organization with SmartTouch controls, flexible shelving and storage options, and slide out bins and trays. The water filter is easily accessible for quick cleaning or replacement. LED lighting in all compartments lights up all the shelves, bins and trays. |
| Efficient | These ActiveSmart [™] refrigerators intelligently adapt to daily use to help save energy, cooling and defrosting only when they need to without compromising on food care. |


| SPECIFICATIONS | | |
|--|--|--|
| Finish | Panel Ready (apply your own cabinetry façade) | |
| Dimensions (excluding door panels) | H71 ²⁷ ⁄ ₅₂ " x W35 ² ⁄ ₃₂ " x D23 ³ ⁄ ₄ " | |
| Cabinetry height with included trim kit | 72" | |
| Capacity | | |
| Refrigerator | 11.7 cu.ft | |
| Freezer | 5.1 cu.ft | |
| Total | 16.8 cu.ft | |
| ENERGY STAR Certified | • | |
| Performance | | |
| ActiveSmart™ technology | • | |
| Frost free freezer | • | |
| Adaptive defrost | • | |
| Humidity control system | • | |
| Sabbath mode | • | |
| Internal ice making | • | |
| Accessories | | |
| Water filter part number | 839041 | |
| Warranty | | |
| Parts & labor | 2 years | |
| Additional sealed | 3 years | |
| system parts | | |
| SKU | 24337 | |
| UPC Code | 822843243372 | |

SPECIFICATIONS

For full specifications visit fisherpaykel.com

Fisher&Paykel

CAVITY PREPARATION



36" ACTIVESMART™ BUILT-IN REFRIGERATOR

Model no: RS36A72J1

| Cavity Dimensions | |
|--|-----|
| Overall height of cavity | 72" |
| Overall width of cavity | |
| when adjoining cabinetry cannot share 5/32" door gap | 36″ |
| © Overall depth of cavity | |

| Specifications | |
|----------------|--|
| Electrical | |
| Supply | 115 VAC, 60 Hz |
| Service | 10 amp circuit |
| Plumbing | |
| Supply | 1/4" (6mm) PEX hose or copper tubing (to suit local regulations)* |
| Pressure | min 22 psi (150 kPa) max 120 psi (827 kPa) @ 68°F (20°C) |

NOTE: Recommended that the electrical & water connection be located above the fridge cavity. Optional to locate in an adjacent cabinet to either side of the fridge.

 $\,\,$ $\,$ Do not locate water or electricity in this area, keep clear of connections.

CAUTION: Central area can only fit electrical plug if it is placed within a recessed cavity.


* Customer to supply.

IMPORTANT NOTE: The product dimensions and specifications apply at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. Dimensions may vary by $\pm 3/32''$. Please read the installation manual for detailed information on installing the product or visit fisherpaykel.com.

Fisher&Paykel ____

50 JOIE 06

DATA SHEET



36" ACTIVESMART™ BUILT-IN REFRIGERATOR

Model no: RS36A72J1

| Product Dimensions | in |
|--|-----------|
| Overall height of fridge | 71 27/32" |
| Overall width of fridge | 35 1/32" |
| © Depth of fridge front panels (excl. handles)* | 3/4" |
| Overall depth of fridge (excl. front door panels) | 23 3/4" |
| Height from bottom datum to top of toekick | 4" |
| © Depth of toekick measured from front of door panels* | 2" |
| © Depth of door (widest opening) measured from front of cabinetry | 17 5/16" |
| Depth of drawer (open) measured from front of cabinetry* | 15 3/4" |
| ① Minimum door clearance** to adjacent wall (115° - full internal access)* | 11 13/16" |

 * Door panels to be manufactured and fitted by cabinetmaker, thickness min 5/8" – max 3/4".

** Measured from front cabinetry edge.

| Custom Panel Dimensions | in |
|---|----------------------|
| Height of top door panel | 44 7/32" |
| Width of top door panel | 17 3/4" |
| © Gap between top door panels | 5/32" |
| Height of bottom drawer panel | 23 15/32" |
| Width of bottom drawer panel | 35 21/32" |
| Gap between top door panels and bottom drawer panel | 5/32" |
| © Depth of custom panels | min 5/8" max 3/4" |
| Maximum weight of an individual top door panel | 22 pounds |
| Maximum weight of bottom drawer panel | 21 pounds |
| | |

| Minimum Clearances | |
|--|-------|
| Minimum cabinetry gap clearance from edge of custom panels | 5/32" |
| Overall height of cavity | 72" |
| Overall width of cavity | |
| when adjoining cabinetry cannot share 4mm door gap | 36" |
| Overall depth of cavity | |

IMPORTANT NOTE: The product dimensions and specifications apply at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. Dimensions may vary by $\pm 3/32''$. Please read the installation manual for detailed information on installing the product or visit fisherpaykel.com.

Fisher&Paykel _____