QUICK REFERENCE GUIDE > RS6019F2L1 Date: 02.05.2024 > 1

Integrated Dual Zone Freezer, 60cm

Series 9 | Integrated

Panel Ready | Left hinge



Pair with the Integrated Dual Zone Refrigerator for the ultimate kitchen solution - this model features two independent food zones taking cooling flexibility to a new level.

- Flush fit design with 4mm gaps and custom height installation
- Two independent food zones with adjustable temperature from -21 to -14°C
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- · Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870mm
Width 592mm
Depth 576mm

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Independent Food Zones

When it comes to optimal food preservation, one temperature does not fit all. With two independent food zones, you can create the perfect climate for storing different foods. Each zone has adjustable temperature from -21°C to -14°C, ideal for items such as meat, seafood, frozen desserts and ice.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart[™] Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this freezer includes LED-lit adjustable cantilevered

shelving and full extension bins.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories

Hinge change (from left hinge

Joiner Kit

AJRS19LR

Accessories (sold separately)

Door panel stainless steel	RD6019 (right & left hinge)
Handle kit Contemporary	AHSRDSF
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB
Handle kit Professional round	AHP3RDSF
Toe kick stainless steel	AKRS12010
Toe kick stainless steel	AKRS18010
Toe kick stainless steel 600mm	AKRS06010

Capacity

Volume	304L
Volume freezer	304L

QUICK REFERENCE GUIDE > RS6019F2L1 Date: 02.05.2024 > 2

Consumption	
Energy rating	4 star
Energy usage In-use energy carbon	256kWh/year
	166.8kgCO2e/year
Features	
Adjustable glass cantilevered	•
Adjustable glass shelves	2
SmartTouch control panel	•
Wi-Fi connectivity	•
Freezer Features	
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	2
LED ceiling lighting	•
Installation Dimensions	
Minimum inside width of	600mm
Minimum internal depth of	600mm
Minimum internal height of	1880mm
Performance	
ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Inverter controlled compressor	•

Sabbath mode	•
Power requirements	
Rated current	10A
Supply frequency	50Hz
Supply voltage	230V
Product dimensions	
Depth	576mm
Height	1870mm
Width	592mm
Warranty	
Parts and labour	2 years
Sealed system parts only	5 years
sku	26218
	20210

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel

products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer. **QUICK REFERENCE GUIDE >** RS6019F2L1 Date: 02.05.2024 > 3



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W**www.fisherpaykel.com